

rpts

ROBB PRECISION TOOL SERVICES

3in1 solution: Calibration, Repair & Sales

425.672.7307 phone
800.653.0857 toll free

info@robbprecisiontool.com email

robbprecisiontool.com

Authorized Distributor for

Snap-on
INDUSTRIAL BRANDS

WILLIAMS

BAHCO

CDI TORQUE PRODUCTS



Sales Blaster

2014 1st Quarter

WILLIAMS

COMBINATION RATCHETING WRENCHES

Product Code	Set Contents	List Price	<u>Sale Price</u>
WS-1120NRC	9 Piece - 1/4" to 3/4"	\$147.06	\$67.85
WS-1121NRC	11 Piece - 3/8" to 1"	\$238.64	\$110.15
WS-1122NRC	16 Piece - 1/4" to 1-1/4"	\$379.35	\$175.10
MWS-1123NRC	9 Piece - 6mm to 14 mm	\$124.70	\$57.55
MWS-1124NRC	14 Piece - 6 mm to 19 mm	\$227.16	\$104.85
MWS-1125NRC	19 Piece - 6 mm to 24mm	\$370.80	\$171.15
MWS-1126NRC	25 Piece - 6mm to 32 mm	\$597.20	\$275.60

Features

- 72-tooth gear requires only 5° of ratcheting arc to engage next gear
- High polish satin-chrome finish cleans easily & protects against corrosion
- Thin profile is perfect for tight clearances where accessibility is critical
- 12-point ratcheting box end allows for superior fastener engagement



Robb Precision Tool Service
2100 – 196th St. SW Suite 144 - Lynnwood, WA 98036

Phone: 800-653-0857 - Fax: 425-672-7317

Offer Valid While Supplies Last Through March 31, 2014



DIGITAL TORQUE TESTER™ (DTT)

TEST THE HEALTH OF YOUR TORQUE WRENCHES - ANYWHERE WITH THE DIGITAL TORQUE TESTER.

Utilizing the testing protocol and standards developed by the American Society of Mechanical Engineers (ASME)

The Digital Torque Tester™ (DTT) is designed to be an affordable torque tester that can be mounted on a wall or used in a bench-top vise to allow the operator to conveniently test torque wrenches and torque screwdrivers. It features an easy to use touch pad screen to capture peak torque values during a test in real time, and download stored torque data to a PC. All DTT torque testers are sold in a kit with the complete tester, hard carrying case, a socket driver reducer adapter and AC/DC power supply.



DIGITAL TORQUE TESTER™ (DTT)

Product Code	Female Drive	Range English	Range, Nm	Range, kgcm Price	List	Sale Price:
1001-O-DTT	1/4"	10 - 100 in.oz.	.07 - .706	.72 - 7.20	\$ 2,400.00	\$ 1,107.70
501-I-DTT	1/4"	5 - 50 in.lb.	.56 - 5.65	5.76 - 57.60	\$ 2,400.00	\$ 1,107.70
8001-O-DTT*	1/4"	20 - 800 in.oz.	.001 - .056 cNm	.014 - .56 dNm	\$ 2,301.36	\$ 1,062.15
2502-I-DTT	3/8"	25 - 250 in.lb.	2.82 - 28.25	23.80 - 288.0	\$ 2,400.00	\$ 1,107.70
4002-I-DTT	3/8"	40 - 400 in.lb.	4.52 - 45.2	46.08 - 460.8	\$ 2,400.00	\$ 1,107.70
10002-I-DTT	3/8"	100 - 1000 in.lb.	12 - 112	115 - 1152	\$ 2,650.00	\$ 1,223.10
2503-F-DTT	1/2"	25 - 250 ft.lb.	33 - 338.96	1.93 - 34.56 kgm	\$ 2,650.00	\$ 1,223.10
6004-F-DTT	3/4"	60 - 600 ft.lb.	81.35 - 813.5	8.30 - 82.95 kgm	\$ 2,850.00	\$ 1,315.40

Accuracy: ± 0.50% 10% to 100% CW & CCW of indicated test value @ 25° C (Except 2503-F-DTT)
 *Accuracy: ± 1% CW & CCW from 2-1/2% to 100% of full scale. New for Torque Screwdriver.
 Units of Measure: Nm, kgcm, ft.lb., in.lb., in.oz., kgm, cNm
 Operation Modes: TRACK, PEAK, FIRST PEAK
 Operating Temperature: 10 to 32° C (50 to 90° F)
 Storage Temperature: -20 to 50° C (-2 to 122° F)
 Humidity: 85% Relative Humidity @ 21° C (70° F)
 Power Supply: Included 9-volt A/C D/C adapter. 6 AA batteries included.
 Data Storage/Recall: Memory Capacity – 500 Records (Complete Check Mode Only.)
 Dimensions: W - 10" x H - 16" x D - 2.5"
 Weight: (Tester Only) - 10.7 lbs., (with Carrying Case) - 17.4 lbs.



Robb Precision Tool Service
2100 – 196th St. SW Suite 144 - Lynnwood, WA 98036
Phone: 800-653-0857 - Fax: 425-672-7317
 Offer Valid While Supplies Last Through March 31, 2014



TORQUE & ANGLE™ ELECTRONIC TORQUE WRENCHES

The CDI Torque and Angle Electronic Wrench incorporates 21st Century Technology in a simple to use digital wrench. Specifically designed to meet the needs of the torque professional where torque plus angle is required. It features three units of torque, ft.lbs. In.lbs. and Nm as well as the angle mode.

The Torque and Angle wrench allows the technician to apply a specific torque load, followed by the angle specification, all in one convenient wrench. It features a three LED light bar and audible buzzer. As the angle mode is a separate function, the wrench can also be used as a stand alone digital torque wrench.

Features

- Accuracy is +/- 2% CW, +/- 3% CCW of indicated value
- Gyro chip senses 360° of movement, and is accurate to within +/- 3.8°
- No maintenance, just change batteries at 80 hours
- VERY easy to set up and use quickly
- Almost impossible to over torque
- Digital torque measurement and digital angle measurement in one convenient package
- Ergonomic non-slip cushion grip
- 15% Flex Ratchet head
- Long battery life, uses two CR123 lithium batteries
- Convenient, push button socket release ratchet head
- 3 step LED visual signal system:
 - Yellow Light = approaching target torque
 - Green Light = target torque reached
 - Red Light = over torque indicator
- N.I.S.T. traceable certificate of calibration included

TORQUE & ANGLE™ ELECTRONIC TORQUE WRENCHES

Product Code	Drive	Ft. Lb.	In. Lb.	Nm	Angle	Length In. (mm)	Wt. Lbs. (kgs)	List Price	Sale Price:
								\$ 943.88	\$ 435.60
2503TAA-CDI	1/2"	25 - 250	300 - 3000	33.8 - 338	0-360°	27 (686)	3.5 (1.59)	\$ 1,067.53	\$ 492.70

The certification of accuracy provided per ASME and ISO Standards is 20% to 100% of full scale.



HEAVY-DUTY TORQUE & ANGLE™ TORQUE WRENCH

LEADING THE WAY IN HEAVY-DUTY TORQUE AND ANGLE APPLICATIONS WITH INNOVATIVE SOLUTIONS THAT MAKE A DIFFERENCE IN DOING THE JOB RIGHT.

The CDI 600 ft.lb. Heavy-Duty Torque & Angle™ Torque Wrench eliminates the need for angle gauges and protractors, providing the most accurate and efficient way to achieve torque plus angle tightening sequences now specified by many manufacturers. The digital readout displays a torque setting then with a push of a button, switches to the angle mode. Angle readout not affected by ratcheting. Angle calculation based on the same gyroscopic technology that maintains helicopters at level flight.

- Torque Accuracy: (2% CW & 3% CCW FROM 20 – 100% F.S.)
(4% CW & 6% CCW FROM 10 – 19% F.S.)
- Angle Accuracy: ± 3.8% of indicated value
- Angular Display Resolution: 1°

Features

- Torque Units: ft.lb., in.lbs., Nm
- Audible (tone) Preset Alerts
- Display Resolution: 0.1 ft.lb., 0.1 Nm, 1 in.lb.
- Comfortable non-slip grip handle
- Sealed Ratchet Head
- 4 "AA" Alkaline Batteries Included
- Low Battery Indicator and Auto Shutoff after two minutes idle
- Operating Temperature: 40 - 110° F. (5 - 42° C)
- Storage Temperature: 0 - 122° F. (-20 - 50° C)
- Humidity up to 90% non-condensing
- EU/CE-DE, ES, FR, IT, NL, PT, UK and Japanese language manual
- Certificate of N.I.S.T. traceability for 20% to 100% of full scale
- Includes storage case

HEAVY-DUTY TORQUE & ANGLE™ TORQUE WRENCH

Product Code	Drive	Ft. Lb.	In. Lb.	Nm	Angle	Length In. (mm)	Wt. Lbs. (kgs)	List Price	Sale Price:
								\$ 2,939.62	\$ 1,356.75
6004TAA	3/4"	120 - 600	1440 - 7200	156 - 780	0-360°	49 (1244.6)	14 (6.35)	\$ 2,939.62	\$ 1,356.75



Robb Precision Tool Service

2100 – 196th St. SW Suite 144 - Lynnwood, WA 98036

Phone: 800-653-0857 - Fax: 425-672-7317

Offer Valid While Supplies Last Through March 31, 2014



COMPUTORQ 3 ELECTRONIC TORQUE WRENCHES

The COMPUTORQ 3 Electronic Torque Wrench is a simple to use digital readout wrench that displays real time torque values in any of four torque units, ft.lbs., in.lbs., Nm, kg.cm. Simply set the desired torque value and apply force until the green LED illuminates. Great for light industrial, automotive, motorcycle, watercraft and aircraft applications.

Features

- Sleek new design
- 15-degree flex ratcheting head
- Push button socket release head
- Large, easy to read digital display
- Long battery life, uses 2 each CR123 lithium batteries
- Ergonomically designed molded non-slip rubber grip
- Torques in both clockwise and counterclockwise directions
- Battery saving auto-shutoff after two minutes
- COMPUTORQ 3 remembers last unit and torque setting selected
- Audible tone sounds when set torque value is reached, if the set torque value is exceeded, an alarm tone will sound.
- 3 color LED light bar
 YELLOW LED indicates approaching desired torque setting
 GREEN LED indicates desired torque value is reached
 RED LED indicates fastener was overtorqued, loosen and retighten.
- When desired torque value is reached, display will hold value and flash for ten seconds.
- COMPUTORQ 3 will operate in any of four torque units, foot pounds (ft. lbs.), inch pounds (in. lbs.), newton meter (Nm) or kilogram centimeter (kg. cm.).
- ACCURACY:
 ±2% CW of readings from 20% to 100% of full scale
 ±3% CCW of readings from 20% to 100% of full scale
- N.I.S.T. traceable certificate of calibration included



STANDARD MODELS

Product Code	Drive	Ft. Lb.	In. Lb.	Nm	Kg. Cm.	Length In. (mm)	Wt. Lbs. (kgs)	List Price	<i>Sale Price:</i>
2401C13	¼"	2.0 - 20.0	24 - 240	2.71 - 27.10	27.6 - 276	15 (381)	2.0 (.91)	\$ 570.14	\$ 263.15
1002CF3	⅜"	10.0 - 100.0	120 - 1200	13.6 - 135.6	138 - 1382	17 (432)	2.2 (1.0)	\$ 615.51	\$ 284.10
2503CF3	½"	25 - 250	300 - 3000	33.8 - 338	345 - 3456	27 (686)	3.5 (1.59)	\$ 720.06	\$ 332.30



HIGH ACCURACY MODELS

Product Code	Drive	Ft. Lb.	In. Lb.	Nm	Kg. Cm.	Length In. (mm)	Wt. Lbs. (kgs)	List Price	<i>Sale Price:</i>
2401C13HA*	¼"	2.0 - 20.0	24 - 240	2.71 - 27.10	27.6 - 276	15 (381)	2.0 (.91)	\$ 761.73	\$ 351.55
1002CF3HA*	⅜"	10.0 - 100.0	120 - 1200	13.6 - 135.6	138 - 1382	17 (432)	2.2 (1.0)	\$ 807.13	\$ 372.55
2503CF3HA*	½"	25 - 250	300 - 3000	33.8 - 338	345 - 3456	27 (686)	3.5 (1.59)	\$ 911.85	\$ 420.85

The certification of accuracy provided per ASME and ISO Standards is 20% to 100% of full scale.



*HIGH ACCURACY 1% Clockwise direction only. It couldn't be easier to use!

Robb Precision Tool Service



100 – 196th St. SW Suite 144 - Lynnwood, WA 98036

Phone: 800-653-0857 - Fax: 425-672-7317

Offer Valid While Supplies Last Through March 31, 2014



TORQUE SCREWDRIVERS - MICRO-ADJUSTABLE

Adjustable models offer versatility for applications that require more than one torque value. These torque screwdrivers are particularly suited for the electronics industry and for instrument assembly work. A simple, cam-over design prevents over-tightening and possible damage to components.

Torque settings are easily and accurately changed with a unique adjusting knob and easy-to-read window scale. Adjusting the screwdriver is simple. Just pull out the adjusting knob to unlock, turn to the desired setting, then push the knob in until it clicks!

Positive locking knob makes accidental setting changes impossible. Automatic lock in counterclockwise direction makes fastener removal a snap. The Micro-Adjustable series includes six models with torque settings ranging from 20 in. ozs. to 40 in. lbs.

Features

- 6 models available
- Positive locking pull down adjustment knob
- Trilobular comfort grip
- Universal 1/4" hex bit holder with strong rare earth magnet
- Cam-over torque limiting clutch
- Slip resistant finish
- Easy-to-read window scale
- Light weight
- Automatic lock in CCW direction for disassembly
- Accuracy: ± 6% of indicated value, CW, from 20% to 100% of full scale
- Individually serialized with matching certificate of calibration traceable to N.I.S.T.
- Meets or exceeds ASME B107.14 - 2004




TORQUE SCREWDRIVERS - MICRO-ADJUSTABLE

Product Code	Torque Range	Increments	W x L Inches	Wt. Oz.	List Price	Sale Price:
61SM	20 - 100 in. ozs.	1 in. oz.	1.1 x 5.5	6.8	\$ 299.92	\$ 138.40
151SM	3 - 15 in. lbs.	.2 in. lbs.	1.1 x 6.25	8.0	\$ 307.23	\$ 141.75
401SM	5 - 40 in. lbs.	.5 in. lbs.	1.2 x 6.75	10.8	\$ 314.55	\$ 145.10
61NSM	10 - 80 cNm	1 cNm	1.1 x 5.5	6.8	\$ 299.92	\$ 138.40
151NSM	40 - 200 cNm	2 cNm	1.1 x 6.25	8.0	\$ 307.23	\$ 141.75
401NSM	50 - 450 cNm	5 cNm	1.2 x 6.75	10.8	\$ 314.55	\$ 145.10



Robb Precision Tool Service
2100 – 196th St. SW Suite 144 - Lynnwood, WA 98036
Phone: 800-653-0857 - Fax: 425-672-7317
 Offer Valid While Supplies Last Through March 31, 2014



COMBINATION WRENCHES

Satin Chrome Finish, 12 Point, SAE

Product Code	Size (Inches)	A Overall Length (Inches)	B Open End Width (Inches)	C Open End Thickness (Inches)	D Box End Diameter (Inches)	E Box End Thickness (Inches)	E List Price	E <i>Sale Price</i>
11108	1/4	5 1/8	9/16	5/32	7/16	7/32	\$9.00	\$4.15
11110	3/16	5 3/4	23/32	3/16	17/32	9/32	\$9.00	\$4.15
11112	3/8	6 1/2	13/16	3/16	5/8	5/16	\$9.68	\$4.45
11114	7/16	7 1/4	31/32	7/32	11/16	5/16	\$10.16	\$4.70
11116	1/2	8 1/8	1 3/32	1/4	25/32	3/8	\$10.57	\$4.85
11118	9/16	8 3/4	1 7/32	1/4	7/8	3/8	\$11.98	\$5.55
11120	5/8	9 1/2	1 3/8	9/32	31/32	7/16	\$13.26	\$6.15
11122	11/16	10 1/4	1 1/2	11/32	1 1/16	15/32	\$14.47	\$6.70
11124	3/4	11	1 5/8	3/8	1 3/32	1/2	\$15.80	\$7.30
11126	13/16	12	1 25/32	13/32	1 7/16	9/16	\$19.73	\$9.10
11128	7/8	12 3/8	1 7/8	3/8	1 11/32	9/16	\$20.12	\$9.30
11130	15/16	13 1/4	2 1/32	13/32	1 19/32	5/8	\$22.42	\$10.40
11132	1	14	2 3/32	7/16	1 1/2	11/16	\$27.10	\$12.55
11134	1 1/16	14 5/8	2 5/32	15/32	1 19/32	11/16	\$31.54	\$14.55
11136	1 1/8	16 1/4	2 3/16	1/2	1 21/32	3/4	\$36.74	\$16.90
11140	1 1/4	17	2 17/32	9/16	1 3/4	3/4	\$43.26	\$20.00
11142	1 3/16	18 1/2	2 3/4	1/2	2	11/16	\$50.00	\$23.10
11144	1 3/8	18 1/2	2 3/4	1/2	2	11/16	\$54.00	\$24.90
11146	1 7/16	20	3	1/2	2 3/16	3/4	\$60.50	\$27.90
11148	1 1/2	20	3	1/2	2 3/16	3/4	\$70.00	\$32.30
11150	1 9/16	21 3/8	3 1/4	1/2	2 3/8	3/4	\$78.00	\$36.00
11152	1 5/8	21 3/8	3 1/4	1/2	2 3/8	3/4	\$79.00	\$36.45
11154	1 11/16	21 3/8	3 1/4	1/2	2 3/8	3/4	\$87.00	\$40.15
11156	1 3/4	24	3 3/8	11/16	2 1/2	3/4	\$95.00	\$43.85
11158	1 13/16	24	3 3/8	11/16	2 1/2	3/4	\$100.00	\$46.15
11160	1 7/8	25 1/2	3 3/4	3/4	2 7/8	7/8	\$115.00	\$53.10
11164	2	25 1/2	3 3/4	3/4	2 7/8	7/8	\$128.00	\$59.10



11002
List Price \$ 93.52

Sale Price \$ 43.15



11004
List Price \$ 157.77

Sale Price \$ 72.85

11005
List Price \$ 238.14

Sale Price \$ 109.90

11006
List Price \$ 274.34

Sale Price \$ 126.60

11019
List Price \$ 824.85

Sale Price \$ 380.70

Combination Wrenches Set

Contents Include:

Product Code	Size (Inches)	11002 9 Piece Set Vinyl Pouch	11004 11 Piece Set Vinyl Pouch	11005 14 Piece Set Vinyl Pouch	11006 16 Piece Set Vinyl Pouch	11019* 11 Piece Set
11108	1/4	X		X	X	
11110	3/16	X		X	X	
11112	3/8	X	X	X	X	
11114	7/16	X	X	X	X	
11116	1/2	X	X	X	X	
11118	9/16	X	X	X	X	
11120	5/8	X	X	X	X	
11122	11/16	X	X	X	X	
11124	3/4	X	X	X	X	
11126	13/16	X	X	X	X	
11128	7/8		X	X	X	
11130	15/16		X	X	X	
11132	1		X	X	X	
11134	1 1/16			X	X	
11136	1 1/8				X	
11140	1 1/4				X	
11142	1 3/16					X
11144	1 3/8					X
11146	1 7/16					X
11148	1 1/2					X
11150	1 9/16					X
11152	1 5/8					X
11154	1 11/16					X
11156	1 3/4					X
11158	1 13/16					X
11160	1 7/8					X
11164	2					X
Vinyl Pouch		50003	50005	50007	50007	

Robb Precision Tool Service

2100 – 196th St. SW Suite 144 - Lynnwood, WA 98036

Phone: 800-653-0857 - Fax: 425-672-7317

Offer Valid While Supplies Last Through March 31, 2014





COMBINATION WRENCHES

Satin Chrome Finish, 12 Point, Metric



11010

List Price \$ 84.28

Sale Price \$ 38.90

11012

List Price \$ 151.54

Sale Price \$ 69.90

11014

List Price \$ 251.33

Sale Price \$ 116.00

11016

List Price \$ 446.75

Sale Price \$ 206.25

Product Code	Size (MM)	Overall Length (Inches)	Open End Width (Inches)	Open End Thickness (Inches)	Thick-ness (Inches)	Box End Diameter (Inches)	Box End Thickness (Inches)	List Price	Sale Price
11506	6	5 1/8	9/16	5/32	5/32	7/16	7/32	\$8.92	\$4.15
11507	7	5 3/8	21/32	5/32	5/32	1/2	1/4	\$9.18	\$4.25
11508	8	5 3/4	29/32	5/16	5/16	17/32	9/32	\$9.43	\$4.40
11509	9	6 1/2	19/16	7/32	7/32	19/32	5/16	\$10.18	\$4.70
11510	10	6 3/4	7/8	7/32	7/32	5/8	5/16	\$10.39	\$4.75
11511	11	7 1/4	31/32	7/32	7/32	11/16	5/16	\$10.61	\$4.90
11512	12	7 3/4	1	7/32	7/32	3/4	11/32	\$11.08	\$5.10
11513	13	8 1/8	1 3/32	1/4	1/4	29/32	3/8	\$11.62	\$5.40
11514	14	8 3/4	1 7/32	1/4	1/4	7/8	3/8	\$12.23	\$5.60
11515	15	9 1/8	1 9/32	9/32	9/32	29/32	13/32	\$13.21	\$6.10
11516	16	9 1/2	1 11/32	9/32	9/32	31/32	7/16	\$13.91	\$6.40
11517	17	10 1/4	1 15/32	11/32	11/32	1 1/32	15/32	\$15.20	\$7.00
11518	18	10 1/2	1 9/16	11/32	11/32	1 1/32	1/2	\$15.83	\$7.30
11519	19	11	1 21/32	11/32	11/32	1 1/8	1/2	\$16.57	\$7.60
11520	20	11 3/8	1 11/16	3/8	3/8	1 27/32	9/16	\$17.95	\$8.30
11521	21	12	1 29/32	13/32	13/32	1 9/16	9/16	\$21.07	\$9.70
11522	22	12 1/2	1 7/8	3/8	3/8	1 9/32	9/16	\$22.33	\$10.30
11523	23	12 1/2	1 27/32	3/8	3/8	1 11/32	9/16	\$23.58	\$10.85
11524	24	13 1/4	2 1/32	13/32	13/32	1 19/32	3/8	\$25.94	\$12.00
11525	25	14	2 9/32	7/16	7/16	1 1/2	11/16	\$28.41	\$13.10
11526	26	14	2 5/32	7/16	7/16	1 1/2	11/16	\$29.76	\$13.75
11527	27	14 5/8	2 9/32	15/32	15/32	1 19/32	11/16	\$34.77	\$16.10
11529	29	16 1/4	2 9/16	1/2	1/2	1 21/32	3/4	\$36.85	\$17.00
11530	30	16 1/4	2 9/16	1/2	1/2	1 21/32	3/4	\$42.01	\$19.40
11532	32	17	2 17/32	9/16	9/16	1 3/4	3/4	\$45.35	\$20.90
11533	33	18 1/2	2 3/4	1/2	1/2	2	11/16	\$50.00	\$23.10
11534	34	18 1/2	2 3/4	1/2	1/2	2	11/16	\$50.50	\$23.30
11535	35	18 1/2	2 3/4	1/2	1/2	2	11/16	\$61.00	\$28.15
11536	36	20	3	1/2	1/2	2 3/16	3/4	\$63.50	\$29.30
11538	38	20	3	1/2	1/2	2 3/16	3/4	\$70.00	\$32.30
11540	40	21 5/8	3 1/4	1/2	1/2	2 3/8	3/4	\$78.00	\$36.00
11541	41	21 5/8	3 1/4	1/2	1/2	2 3/8	3/4	\$79.00	\$36.45
11542	42	21 5/8	3 1/4	1/2	1/2	2 3/8	3/4	\$85.00	\$39.25
11543	43	21 5/8	3 1/4	1/2	1/2	2 3/8	3/4	\$91.00	\$42.00
11545	45	24	3 3/8	11/16	11/16	2 1/2	3/4	\$114.00	\$52.60
11546	46	24	3 3/8	11/16	11/16	2 1/2	3/4	\$115.00	\$53.10
11548	48	25 1/2	3 3/4	3/4	3/4	2 7/8	7/8	\$119.00	\$54.90
11550	50	25 1/2	3 3/4	3/4	3/4	2 7/8	7/8	\$121.00	\$55.85

Combination Wrenches Set - Contents Include

Product Code	Size (MM)	11010 9 Piece Set Vinyl Pouch	11012 14 Piece Set Vinyl Pouch	11014 19 Piece Set Vinyl Pouch	11016 25 Piece Set Vinyl Pouch	11018* 13 Piece Set
11506	6	X	X	X	X	
11507	7	X	X	X	X	
11508	8	X	X	X	X	
11509	9	X	X	X	X	
11510	10	X	X	X	X	
11511	11	X	X	X	X	
11512	12	X	X	X	X	
11513	13	X	X	X	X	
11514	14	X	X	X	X	
11515	15	X	X	X	X	
11516	16		X	X	X	
11517	17		X	X	X	
11518	18		X	X	X	
11519	19		X	X	X	
11520	20		X	X	X	
11521	21			X	X	
11522	22			X	X	
11523	23			X	X	
11524	24			X	X	
11525	25			X	X	
11526	26				X	
11527	27				X	
11529	29				X	
11530	30				X	
11532	32				X	
11533	33					X
11534	34					X
11535	35					X
11536	36					X
11538	38					X
11540	40					X
11541	41					X
11542	42					X
11543	43					X
11545	45					X
11546	46					X

Robb Precision Tool Service

2100 - 196th St. SW Suite 144 - Lynnwood, WA 98036

Phone: 800-653-0857 - Fax: 425-672-7317

Offer Valid While Supplies Last Through March 31, 2014



T-HANDLE HEX DRIVERS

Cushion Grip Handle

Product Code	Size (Inches)	List Price	Sale Price	Product Code	Size (MM)	List Price	Sale Price
HKT-3/32	3/32	\$6.61	\$3.10	HKT-2MM	2	\$6.18	\$2.85
HKT-7/64	7/64	\$6.71	\$3.10	HKT-2.5MM	2.5	\$6.18	\$2.85
HKT-1/8	1/8	\$7.27	\$3.40	HKT-3MM	3	\$6.55	\$3.00
HKT-9/64	9/64	\$7.70	\$3.55	HKT-4MM	4	\$6.84	\$3.15
HKT-5/32	5/32	\$7.99	\$3.70	HKT-5MM	5	\$8.80	\$4.10
HKT-3/16	3/16	\$8.84	\$4.10	HKT-6MM	6	\$9.74	\$4.45
HKT-7/32	7/32	\$8.99	\$4.15	HKT-8MM	8	\$11.50	\$5.30
HKT-1/4	1/4	\$10.61	\$4.90	HKT-10MM	10	\$13.50	\$6.25
HKT-5/16	5/16	\$12.22	\$5.60				
HKT-3/8	3/8	\$13.12	\$6.10				

Features

- Cushion grip provides extra comfort
- One-Piece handle construction for extra strength
- 6 Inch shaft length

WSHKT-10 10 Piece T-Handle Hex Driver Set, SAE in Pouch

Contents Include:

Product Code	Size	Product Code	Size	Product Code	Size
HKT-3/32	3/32	HKT-5/32	5/32	HKT-1/4	1/4
HKT-7/64	7/64	HKT-3/16	3/16	HKT-5/16	5/16
HKT-1/8	1/8	HKT-7/32	7/32	HKT-3/8	3/8
HKT-9/64	9/64				

MWSHKT-8 8 Piece T-Handle Hex Driver Set, MM in Pouch

Contents Include:

Product Code	Size	Product Code	Size
HKT-2	2	HKT-5	5
HKT-2.5	2.5	HKT-6	6
HKT-3	3	HKT-8	8
HKT-4	4	HKT-10	10

Features

- Set comes in vinyl pouch for tool box or can be hung.

Universal Hex Key Stand

Product Code	Size
HKTSTAND	Width 7 1/2 x Depth 5 1/2 x Height 6

Features

- Universal T-handle stand, fits inch/metric sets
- Number of slots: 22
- Fits up to 3/8" hex
- For Inch, Metric and Torx hex keys
- Can be attached to wall, bench or each other
- T-handle hex drivers are sold separately and are not included with stand



HKT-1/4



HKT-6MM



WSHKT-10
List Price \$ 81.00

Sale Price \$ 37.40



MWSHKT-8
List Price \$ 62.00

Sale Price \$ 28.60

HKTSTAND
List Price \$ 18.00

Sale Price \$ 8.30



19 PIECE COMBINATION SCREWDRIVER SET

Premium Comfort Grip & Three Component handle with Black Oxide Tips

Product Code	Description
100P-19MD	19 Piece Combination Screwdriver Set

Contents Include:

Product Code	Overall Length (Inches)	Blade Length (Inches)	Tip Width/Point Size
BE8020L	6	3	Cabinet Tip 1/8"
BE-8220	9	5	Cabinet Tip 1/8"
BE-8240	11 3/4	7	Cabinet Tip 5/32"
SDE-43	6 11/16	3	Electrician's Tip 3/16"
SDE-46	9 11/16	6	Electrician's Tip 3/16"
SDS-62	3 1/2	1 3/4	Slotted 1/4" Stubby
SDP-2-ST	3 1/2	1 1/2	Phillips #2 Stubby
BE-8600	6 1/2	2 3/16	Phillips #0
SDP-1-3	6 1/4	3	Phillips #1
BE-8610L	12 3/4	8	Phillips #1 x 8"
SDP-2-4	7 15/16	4	Phillips #2
SDP-2-8	12	8	Phillips #2
SDP-3-6	10 1/2	6	Phillips #3
SDP-4-6	10 3/4	8	Phillips #4
SDR-24	7 7/8	4	Slotted 1/4
SDR-26	10 11/16	6	Slotted 5/16
SDR-28	12 11/16	8	Slotted 3/8"
SDS-33	17 13/16	12	Slotted 3/8
SDR-22	6 1/8	3	Slotted 3/16"

100P-19MD
List Price \$ 205.00

Sale Price \$ 94.60

Features

- Set contains a comprehensive assortment of screwdrivers to get the job done
- Williams comfort grip handle with thumb stop allow for added turning power without discomfort or slippage
- Bahco's three component ergonomically designed handle provides comfort and maximum grip even with oily hands.



Robb Precision Tool Service
2100 – 196th St. SW Suite 144 - Lynnwood, WA 98036
Phone: 800-653-0857 - Fax: 425-672-7317
 Offer Valid While Supplies Last Through March 31, 2014



6 PIECE XHD PHILLIPS® SCREWDRIVER SETS W/HEX BLADES & BOLSTERS

Bi-Mold Comfort Grip Handles

Product Code	Description
202,020	6 Piece XHD Slotted & Phillips® Screwdriver Sets w/Hex Blades & Bolsters

Contents Include:

Product Code	Overall Length (Inches)	Blade Length (Inches)	Tip Width/Point Size
038.055.100	8 ½	5	7/32
038.065.125	10	6	¼
038.080.150	11 ½	7	5/16
039.001.100	8 ½	4	#1 Phillips®
039.002.125	10	5	#2 Phillips®
039.003.150	11 ½	6	#3 Phillips®



202.020
List Price \$ 248.02

Sale Price \$ 114.45

202.021
List Price \$ 248.26

Sale Price \$ 114.45



6 PIECE XHD SLOTTED & POZIDRIV SCREWDRIVER SETS W/HEX BLADES & BOLSTERS

Bi-Mold Comfort Grip Handles

Product Code	Description
202,021	XHD Slotted & Pozidriv Screwdriver Sets w/Hex Blades & Bolsters

Contents Include:

Product Code	Overall Length (Inches)	Blade Length (Inches)	Tip Width/Point Size
038.055.100	8 ½	5	7/32
038.065.125	10	6	¼
038.080.150	11 ½	7	5/16
040.001.100	8 ½	4	#1 PZ
040.002.125	10	5	#2 PZ
040.003.150	11 ½	6	#3 PZ

Features

- Metal striking cap at top of handle gives ultimate protection during jobs requiring high impact and added force
- Thru-Blade shank continues through the handle before contacting the metal striking cap for ultimate strength
- Elastomer surface and double shaped handle for added comfort and maximum turning power
- Rudolite® plastic provides high impact resistance to the tool and a perfect joint between the handle and shank
- Black oxide tips prevent chipping of chrome to reduce possible contamination at work location



MULTI DRIVE SOCKET & DRIVE TOOL SETS

Product Code	Description
50614	146 Piece 1/4", 3/8", 1/2" Drive Socket Set 6 Point Rugged Case System Tool Set, SAE & Metric Complete details on CAT2 page 149, 178, 231
50612	138 Piece 1/4", 3/8", 1/2" Drive Socket Set 6 Point Rugged Case System Tool Set, SAE & Metric Complete details on CAT2 page 150, 179, 232

Features

- Sets include comprehensive assortment of sockets and drive tools in multiple drive sizes.
- All tools are professional quality, made of high-grade chrome vanadium steel
- Sockets feature SUPERTORQUE® lobular openings for greater turning power without deforming the fastener
- Packed in rugged high-density polyethylene (HDPE) cases that are strong and durable yet light in weight
- Rugged case is shock proof at both high and low temperatures, equipped with heavy-duty metal latches and hinges.
- Two component handles are easy to grip and comfortable to carry.



50612
List Price \$ 550.00

Sale Price \$ 253.85

**1/4", 3/8" and 1/2"
Drive Socket Sets.**

**All tools are professional
quality, made of high-grade
chrome vanadium steel.**



50614
List Price \$ 550.00

Sale Price \$ 253.85



MAGNETIC RATCHETING SCREWDRIVERS

Comfort Grip Handle

Product Code	Description/ Handle Style	Overall Length (Inches)	Bits Included	List Price	Sale Price
808050	Standard Length	10	Yes *	\$64.11	\$29.60
808050L	Standard Length with LED Light	10	Yes *	\$68.32	\$31.55
808050P	Swivel Pistol Grip	10	Yes *	\$68.32	\$31.55
808050S	Stubby	4	No	\$31.84	\$14.70
808050TS	T-Handle Stubby	4	No	\$34.47	\$15.90

Features

- *Includes 6 bits: 2 slotted, #1 Phillips, #2 Phillips, PZ1, PZ2
- Ratchet is easily reversed no repositioning of the hand needed
- Bit Storage easy push button release
- Blade with magnetic 1/4" bit holder to hold the bits
- Two component oval handle with high friction surface provides comfort and increased torque
- Knurled blade for fast spinning of the fastener
- Easy bit storage in handle
- Pistol handle swivels and locks at 30° position for application of higher torque when necessary



Robb Precision Tool Service
2100 – 196th St. SW Suite 144 - Lynnwood, WA 98036
Phone: 800-653-0857 - Fax: 425-672-7317
 Offer Valid While Supplies Last Through March 31, 2014



ERGO® ADJUSTABLE JOINT PLIERS

True Ergonomic Handles with Bi-Molded Grips

Product Code	Overall Length (Inches)	Maximum Jaw Opening (Inches)	Tip Width (Inches)	List Price	Sale Price
8223	8	1 1/2	9/32	\$46.90	\$21.60
8224	10	1 3/4	5/16	\$55.16	\$25.45
8225	12	2 5/32	3/8	\$75.59	\$34.90
8226	16	3	7/16	\$112.88	\$52.10

Features

- Comfortable ergonomic two-component handles which combines durability and a secure non-slip grip.
- Hardened jaws and teeth for exceptionally tough gripping surface.
- One-button setting provides fast and secure jaw width changes with a single touch of the thumb.
- Wide, deep opening jaws have flat and pipe grip jaw so one pair of pliers can be used for more jobs.



8224



ERGO® DIAGONAL CUTTING PLIERS

Piano Wire Cutting and True Ergonomic Handles with Bi-Molded Grips

Product Code	Overall Length (Inches)	Jaw Length (Inches)	Maximum Cutting Capacity (Inches)	List Price	Sale Price
2101G-125	4 7/8	9/16	1/16 Piano Wire	\$36.54	\$20.25
2101G-140	5 1/2	5/8	1/16 Piano Wire	\$37.00	\$20.45
2101G-160	6 1/4	3/4	3/64 Piano Wire	\$38.11	\$21.10
2101G-180	7	13/16	3/32 Piano Wire	\$41.93	\$23.25

Features

- Comfortable ergonomic two-component handles which combines durability and a secure non-slip grip.
- Extra wide handle two-component material reduces stress and strain, and to increase comfort.
- Lacquer finish protects against rust.
- High frequency hardened cutting edges hold their precision-sharpened cutting surfaces.



Ridgid Cast Iron Pipe Wrenches

- Sturdy, cast-iron housing and I-beam handle with full floating forged hook jaw, featuring self-cleaning threads with replaceable hook and heel jaws.
- Heavy-duty pipe wrenches comply with federal specifications GGG-W65IE, Type II, Class A.



Ridgid Aluminum Pipe Wrenches

- Professional strength in lightweight aluminum.
- Offers the same durability and ease-of-use found in all heavy-duty cast iron wrenches



Product Code	Type	Size	Pipe Capacity	Weight	USA List Price	Sale Price
		in.	in.	lb.		
R31000	Cast Iron	6	3/4	0.50	\$38.54	\$19.85
R31005	Cast Iron	8	1	0.75	\$47.40	\$24.45
R31010	Cast Iron	10	1 1/2	1.75	\$62.42	\$32.15
R31015	Cast Iron	12	2	2.75	\$72.14	\$37.15
R31020	Cast Iron	14	2	3.50	\$82.03	\$42.30
R31025	Cast Iron	18	2 1/2	5.75	\$117.58	\$60.60
R31030	Cast Iron	24	3	9.75	\$184.67	\$95.15
R31035	Cast Iron	36	5	19.00	\$390.40	\$201.25
R31040	Cast Iron	48	6	34.25	\$588.53	\$303.30
R31045	Cast Iron	60	8	51.25	\$914.18	\$471.15
R31090	Aluminum	10	1 1/2	1.00	\$99.14	\$51.10
R47057	Aluminum	12	2	2.50	\$122.08	\$62.90
R31095	Aluminum	14	2	2.50	\$134.61	\$69.40
R31100	Aluminum	18	2 1/2	3.75	\$167.40	\$86.30
R31105	Aluminum	24	3	6.00	\$265.71	\$136.90
R31110	Aluminum	36	5	11.00	\$457.38	\$235.70
R31115	Aluminum	48	6	18.50	\$900.97	\$464.30

**FREE
FREIGHT**

Sandflex[®] M42






**Buy 5 Welded Loops and Receive
a Welded Loop for *FREE!!!***




- Perfect for solids, bundles, pipes, profiles and castings.
- Multi-purpose tooth shapes for a variety of applications.
- Designed for production and general purpose application sawing.

Dimension										SalePrice Per Foot	SalePrice Per WEld
	14/18	10/14	8/12	6/10	5/8	4/6	3/4	2/3	1.4/2		
1/2 x .020	X	X								\$2.75	\$9.15
1/2 x .025	X	X	X	X						\$2.75	\$9.15
1/2 x .035		X		X						\$2.75	\$9.15
3/4 x .035		X	X	X	X	X				\$2.95	\$9.15
1 x .035		X	X	X	X	X	X	X		\$3.30	\$10.80
1-1/4 x .042				X	X	X	X	X		\$3.90	\$12.05
1-1/2 x .050				X	X	X	X	X		\$4.70	\$13.20
2 x .063						X	X	X	X	\$6.80	\$15.65



**Manufactured from M42 High
Speed Steel for durability and
longer tool life.**

Robb Precision Tool Service
2100 – 196th St. SW Suite 144 - Lynnwood, WA 98036
Phone: 800-653-0857 - Fax: 425-672-7317
 Offer Valid While Supplies Last Through March 31, 2014



DON'T BE LUCKY. BE SAFE.

**LEARN MORE ABOUT HAND TOOL
SAFETY FROM THE EXPERTS.**

**ASK YOUR SNAP-ON INDUSTRIAL
BRANDS DISTRIBUTOR FOR
DETAILS.**



- Learn about the dangers involving misused, modified, and poorly maintained tools.
- Broaden your awareness of hand tool categories.
- Fine-tune safety knowledge with presentation content tailored to your industry.

rpots

ROBB PRECISION TOOL SERVICES

3in1 solution: *Calibration, Repair & Sales*

425.672.7307 phone
800.653.0857 toll free
info@robbprecisiontool.com email

robbprecisiontool.com